



起子頭



◎エアードライバー・電動ドライバー用ビット

適用機種	形状	品 號	品名	硬度
ベツセル製 GT-H2		103100100	A7 ⊕ 0×36	H
		103100110	70	H
		103100120	100	H
		103100200	⊕ 1×36	H
		103100210	70	H
		103100220	100	H
ベツセル製 GT-H3-H3P		103102100	A9 ⊕ 1×40	H
		103102110	70	H
		103102200	⊕ 2×40	H
		103102210	70	H
ベツセル製 GT-PS 瓜生製 US-3・3W 東日製 U-6・12		103104100	A11 ⊕ 1×50	H
		103104110	75	H
		103104200	⊕ 2×50	G.E
		103104210	⊕ 2×100	G.E
ベツセル製 GT-4T,H4R,H4PR. H4.5,H5R,H5PS5S PLR,PLPS6MLR. S6MH,P6ML,P6D. P6MD 日本ニーンマッツワ製 SD-4 ND-5.5P6SC .6PC NDS-5.5P 横田製 YD-3.5PBZ.4.5B. 4.5PB.4.5PBK.4.5LB. 5WB.6B.6PB.6WB. 600B YW-6PB.YHW-6PB リョーヒ製 E-3500 D-1000. 1015A マキタ製 6700N.6700P. 6800.6800N. 6800P.6800PV. 6810N.6710D. 6710DW 日立製 SN-6A SND-6A TN-6C.6CS TNG-L TNV-6 DNV-6 MAX ATD-3.5. ATID-6P		103106100	A14 ⊕ 1×45	X
				H
		103106200	65	X
				H
		103106210	110	X
		103106319		H.G
		103106302	⊕ 2×45	X
		103106304		G/E
		103106318	65	X
		103106312		G
		103106310		H
		103106314		E
		103106316		S
		103106320	⊕ 2×110	H
		103106322		G
		103106324		E
		103106330		H
		103106332	150	G
		103106334		E
		103106340	200	X
				H.G.E
		103106350	300	G
		103106500	⊕ 3×45	X
				H.E
103106518	65	X		
103106510		H		
103106514		E		
103106516		S		
103106520	110	H		
103106524		E		
		A14SQ NO. 1×65	H	
		A14SQ NO. 2×65	H	
		A14SQ NO. 2×110	H	
		A14SQ NO. 2×150	H	
		A14SQ NO. 3×65	H	
		A14SQ NO. 3×110	H	
		A14SQ NO. 3×150	H	
		A14SQ NO. 1×65	H	
		A14SQ NO. 2×65	H	
		A14SQ NO. 2×110	H	
		A14SQ NO. 2×150	H	
		A14SQ NO. 3×65	H	
		A14SQ NO. 3×110	H	
		A14SQ NO. 3×150	H	



起子頭

VESSEL®

適用機種	形状	品 號	硬度	
ベツセル製 GT-4T,H4R,H4PR. H4.5.H5R.H5PS5S PLR.PLR.S6MLR.P6D. S6MH.P6ML.P6D. P6MD 横田製 YD-3.5PBZ.4.5B. 4.5PB.4.5PBK.4.5LB. 5WB.6B.6PB.6WB. 600B YW-6PB.YHW-6PB リョーヒ製 E-3500 D-1000. 1015A マキタ製 6700N.6700P. 6800.6800N. 6800P.6800PV. 6810N.6710D. 6710DW 日立製 SN-6A SND-6A TN-6C.6CS TNG-L TNV-6 DNV-6 MAX ATD-3.5. ATID-6P		A14B ⊕ 2×50	S	
			75	S
			100	S
			150	S
	6.35mm ●		A16 ⊕ 1×3×65	H
			⊕ 2×4.5×65	H
			⊖ 6×45	G
			70	G
			⊖ 8×45	G
			70	G
			⊖ 10×52	G
			70	G
			對邊 2×65	H
			110	H
			2.5×65	H
		110	H	
		3×65	H	
		110	H	
		4×65	H	
		110	H	
		5×65	G	
		110	G	
		6×65	G	
		110	G	
		SQ No.1 1×65		
		SQ No.2 2×65		
		110		
		150		
		SQ No.3 3×65		
		110		
		150		
		150		
		103110100 A20 A/F 4.5×55	外徑Dφ7.5	
		103110110 5×55	8.5	
		103110120 5.5×55	10	
		103110130 100		
		103110140 6×55	10	
		103110150 100		
		103110160 7×55	13	
		103110170 100		
		103110180 8×55	13	
		103110190 100		
		103110200 9×55	16	
		103110210 9.6×55	16	
		103110220 10×55	16	
		103110230 100		
		103110240 11×55	16	
		103110250 12×55	19	
		103110260 13×55	19	
		103110270 100		
		103110280 14×55	20	
		103110290 15×55	22	
		103110300 17×55	23	
		A20-3 A/F 12×65×100		
		13×65×100	13	
		103113200 A20-5 A/F 7×50	12	
		10×50	16	
A20タイプの機種すべて (附磁石)	6.35mm ●	MA20S サイドマグネット	對邊 5/16"(8mm)×55 對邊 3/8"(9.6mm)×55 對邊 10mm×55	



起子頭

VESSEL®

適用機種	形状	品 號	品名	硬度
ベツセル製 GT-28MD GT-28D		103107100	A15 ⊕ 2×65	G
		103107110	110	G
		103107200	⊕ 3×65	E
		103107210	110	E
		103109100	A19 A/F 5×65	G
		103109200	6×65	G
		103109210	130	G
		103109300	8×65	G
		103109310	130	S
		103109400	10×65	S
		103109410	130	G
		103112100	A23-3 A/F 10×75	16
		103112200	12×75	18
		103112300	14×75	20
103112400		17×75	23	
103112500		6.35×9.5		
ベツセル製 GT-H4RC H5RC.6MCD ホルター用ビット			103121100	B33 ⊕ 1×25.4
	103121200		⊕ 2×25.4	H
	103121300		B33 A/F 2×25.4	H
	103121208		⊕ 3×25.4	H
<p>瓜生製 US-30-40.50L.3.5A.4 4PB.20TA-30TA-40TA 40LTA-410-40A</p> <p>横田製 YD-2.5.3.4.3.5HL. 4HL.3.5HSS.400.400C 400SC.400SCH. 400SCHM トルコン15.30</p> <p>日本ニューマチワ製 SD-4A</p> <p>松下電機製 NM-124.143.144.145 146</p> <p>日本電気精器製 テルホ803.804.812. 813.814.822.823. 834</p> <p>日立工機製 WT-3.4</p>		103122100	B34 ⊕ 1×70	X
		103122105		H
		103122210	1×100	X
		103122122	⊕ 1×150	X
		103122120		H
		103122132	⊕ 1×5.3×105	X
		103122130		H
		103122142	⊕ 1×5.3×120	X
		103122140	⊕ 1×5.3×120	H
		103122208	⊕ 2×70	X
	103122200		H	
	103122212	100	X	
	103122210	⊕ 2×100	H	
	103122650	B34 A/F 5.3×120	H	
	103122240	B34 ⊕ 2×200	H	
	103122222	120	X	
	103122220	⊕ 2×120	H	
	103122232	150	X	
	103122230	⊕ 2×150	H	
	103122242	200	X	
	103122150	⊕ 2×5.3×105	H	
	103122152		X	
	103122160	⊕ 2×5.3×120	H	
	103122162		X	
	103122300	A/F 2×70	H	
	103122400	2.5×70	H	
	103122500	3×70	H	
	103122600	4×70	H	
	103122700	5×70	H	
	<p>瓜生製 US-30-40.50L.3.5A.4 4PB.20TA-30TA-40TA 40LTA-410-40A</p> <p>日本ニューマチワ製 SD-4A</p>		103124108	B36 ⊕ 1×70
103124100			⊕ 1×70	H
103124110			⊕ 1×75	H
103124122			100	X
103124120			⊕ 1×100	H
103124202			⊕ 2×70	X
103124200			⊕ 2×70	H
103124222			100	X
103124220			⊕ 2×100	H
103124130			B36 ⊕ 1×150	H
103124210			B36 ⊕ 2×75	H
103124232			150	X
103124230			⊕ 2×150	H
103124250			⊕ 2×200	H
103124290			⊕ 2×300	H
103124295			⊕ 2×400	H



起子頭

VESSEL®

適用機種	形状	品 號	品 名	硬 度
B34 しこ同じ		103127100	B44 A/F 5.5×70	
		103127110	100	9
		103127200	6×70	10
		103127210	100	
		103127290	7×70	12
		103127300	100	
		103127305	8×70	13
		103127310	100	
		103127500	10×100	16
		瓜生製 横田製 日本ニューマツワ製 油谷製 東日製 ホーシュ工具製 ハイホス製 東日製		103123105
103123100	⊕ 1×50			H
103123110	75			X
103123150	B35 ⊕ 1×75			H
103123200	⊕ 2×50			H
103123210	⊕ 2×50			G
103123220	75			X
103123250	B35 ⊕ 2×75	H		
瓜生製 US-450WA-45W-450WB 5W-6W5PW-6PW LW-6型すべて US-50 0-5 5PB-30TB-40LTB-40TB 50TP-511S-12-511-12 U-500D-500SD-610D- 610SD-700D-700SD 横田製 YW-6PA-DA-6UDA YHW-4A-6PA YW 6CDAVD-4-5PZK-6AK. 6PZK-6 PAK 4A-4.5A-4.5SZ-5A. 600A-4.5LA-5WA 6A-6WA-3.5PZ4. 5PAK-6PA-6PZ-6PT 8PZ-3.5HLA-4HLA- 5HLA-3.5HSSA 400A-400CA- 400SCA-500SCA 5PHCA V-60A-60PA 日本ニューマツワ製 SD-4 ND-5.5A-5P5L. 6SC-6PC NDS-4-4P5-5P NDT-3-3P-5-5P 油谷製 DW-5S-5SS D-6SSA-6SSB DH-65 D-6SHS-6SPA-6SPB DH-6P D-6SHP-BP 東日製 U-6J-12-25-50-2-100-B- 126R-25LR 50R-3PS-6PS-12PS-25PS. 3PSR 6PSR-12PSR.FTD.LTD. LTDH.RTD RIDH.NTO ホツシュ工具製 0607-454-203-202-453- 203-202-451-205-204- 453-406-451-430 ハイホス製 DL-10-15-20 F-7000-9000 東芝製 SDT-6		103123302	B35 ⊕ 2×100	X
		103123305		H.G.E
		103123310	⊕ 2×100	H
		103123312	⊕ 2×150	H.G.E
		103123400	⊕ 3×75	X
		103123402		H.E
		103123410	100	X
		103123412		H.E
		103123300	A/F 2×75	H
		103123510	100	H
		103123550	2.5×75	H
		103123560	100	H
		103123600	3×75	H
		103123610	100	H
		103123700	4×75	H
		103123710	100	H
		103123730	B35 A/F4×200	
		103123800	5×75	G
		103123810	100	G
		103123900	6×75	G
103123910	100	G		
ベッセル製 GT-H4RC H5RC-6MCD 瓜生製 US-3.5ACB-4CA 4AA-5CA-5AA		103125100	B39 ⊕ 1×23	H
		103125200	⊕ 2×23	H
B35に同じですが日本 ニューマツワ製の機種 にはご使用出来ません		103125210	⊕ 2×40	H
		103125230	M-B43 100	H.E



起子頭

VESSEL®

適用機種	形 状	品 號	品 名	硬 度	
瓜生製 US-450WA-45W. 50W-450WB 5W-6W5PW-6PW (UW-6 型すべて US-50-5) 5PB-30TB-40LTB40TB 50TP-511S-12-511-12 U-500D-500SD-610D- 610SD-700D-700SD 横田製 YD-3.5PT-6PTK.4.5PT 45PTK		103126090	⊕ 1×75	X	
		103126100	M-B43 ⊕ 1×75	H	
		103126105	M-B43 ⊕ 2×50	X	
		103126110	B43 ⊕ 2×50	H	
		103126128	M-B43 ⊕ 2×75	X	
		103126120	M-B43 ⊕ 2×75	H	
		103126122	M-B43 ⊕ 2×75	G	
		103126124	B43 ⊕ 2×75	E	
		103126138	M-B43 ⊕ 2×100	X	
		103126130	B43 ⊕ 2×100	H	
		103126132	B43 ⊕ 2×100	G	
		103126134	M-B43 ⊕ 2×100	E	
		103126140	B43 150	H	
		103126142	B43 ⊕ 2×150	G	
	103126150	B43 200	G		
	103126208	M-B43 ⊕ 3×75	X		
	103126200	B43 ⊕ 3×75	H		
	103126202	B43 ⊕ 3×75	G		
	103126204	B43 ⊕ 3×75	E		
	103126210	B43 ⊕ 3×100	H		
	103126214	⊕ 3×100	E		
	103126170	⊕ 2×300	G		
	103126224	⊕ 3×150	E		
	103126234	⊕ 3×200	E		
			103128110	B45 A/F 5.5×100	
			103128210	6×100	10
			103128300	7×75	12
			103128310	100	
103128400			8×75		
103128410			100	13	
103128420			150		
103128500			10×75		
103128510			100	16	
103128520			150		
103128600			12×100	18	
103128650			12×150		
103128700			13×75	19	
103128710			100		
103128800	14×100	20			
		103129100	B45-5 A/F 5.5×50		
		103129200	7×50	12	
		103129300	8×50	13	
		103129400	10×50	16	
A20タイプの機種すべて (附磁石)		MB45 マグネット	対邊 8mm×75		
			対邊 8mm×100		
			対邊 10mm×75		
		MB45S サイドマグネット	対邊 8mm×100		
			対邊 10mm×100		
		MB45D スライドマグネット	対邊 8mm×100		
			対邊 10mm×100		



起子頭



◎インパクトドライバー用ビット

適用機種	形 状	品 號	品 名	硬 度
ベッセル製 No.2500 No.2800		103140100	C51 ⊕ 2×36	G
		103140110	80	G
		103140200	⊕ 3×36	E
		103140210	80	E
		103140300	⊕ 4×36	E
		103140400	⊖ 8×36	E
		103140410	80	E
		103140500	⊖ 10×36	E
		103140510	80	E
		103140600	⊖ 12×36	E
ベッセル製 No.2600		103141100	C55 ⊕ 1×125	G
		103141200	⊕ 2×125	G
		103141300	⊕ 3×125	E
		103141600	⊖ 5×125	E
		103141700	⊖ 6×125	E
		103141800	⊖ 8×125	E

ビットセット

適用機種	形 状	品 號	品 名	硬 度
C51 に同じ	C51 ⊕ 2 ⊕ 3 ⊖ 10×36 ⊖ 8×36	103141900	2500-2800 ビットセット	各1支
C55 に同じ	C55 ⊕ 1 ⊕ 2 ⊖ 3 ⊖ 5 ⊖ 6 ⊖ 8×125	103141950	2600 ビットセット	各1支

◎オートマチックドライバー用ビット

適用機種	形 状	品 號	品 名	硬 度
ベッセル製 No.15000 240-265 300mm No.1510 ツールライト製 1300-1400 ルビユツ製 No.124-135		103142100	C61 ⊕ 1×60	H
		103142200	⊕ 2×60	H
		103142300	⊕ 2×80	H
		103142600	⊕ 4×60	E
		103142700	⊖ 6×60	E
		103142900	AWL×60	G
		ベッセル製 No.15000 380-440mm ルビユツ製#144 ケンユツ製#130 新氣製130A		103143100
103143200	⊕ 2×90			H
103143300	⊕ 3×90			G
103143604	⊖ 6×90			H
103143700	⊖ 8×90			E
ベッセル製 No.15000 620mm ケンユツ製#131 新氣製131A		103144100	C63 ⊕ 2×90	H
		103144200	⊕ 3×90	G
		103144600	⊖ 7×90	E
		103144700	⊖ 9×90	E

ビットセット

適用機種	形 状	品 號	品 名	支 數
C61 に同じ	C61 ⊕ 1 ⊖ 4 ⊖ 6キリ × 60	103145100	1500-2400.300mm	各1支
C62 に同じ	C62 ⊕ 1 ⊕ 2 ⊖ 6 × 90	103145200	1500-380.440mm	各1支
C63 に同じ	C63 ⊕ 2 ⊕ 3 ⊖ 7 × 90	103145300	1500-620mm	各1支
1500~480	B43 No.2.NO.3 × 75 & B35-6 × 75	103145400	1500-480mm	各1支

◎ラチェット及びマグネットチャックドライバー用ビット

適用機種	形 状	品 號	品 名
ベッセル製 No.870 6800 サンフラック製 No.1800-1600- 1920-1930		103147100	C91 ⊕ 1×25
		103147200	⊕ 2×25
		103155040	⊖ 5×25
		103155050	⊖ 7×25










ビットセット

適用機種	形 状	品 號	品 名	支 數
C91 に同じ	C91 ⊕ 1 ⊕ 2 ⊖ 5 ⊖ 7 × 25	103148100	C91 ビットセット	各1支



起子頭



適用機種	形状	品 號	品番	サイズ 刃先×全長 (I)			
ベツセル製 GT-H4R-H4PR-H4.5-H5R-H5P-PH4- PH5-S4.5D-PLR-PLZ-PLP-PLH-II- S6MLR-S6HS-S6.5D-P4.5D-P4.5L- P6GD-P6XD-P6LS-III-P6MS-P6HS- P6.5D-S4TR-S4TS-S4TG-S5TR- S5TB-S5TG-S5TS	6.35mm ● トーションビット 	103106550	AT14 MG	⊕ 2×3.5×65 H 110 H			
	スレンダービット 		AS14 MG	⊕ 1×65 H ⊕ 2×45 H 65 H 110 H			
	ギザビット 		AZ14	⊕ 2×65 H 110 H 150 H 200 H			
	ギザビット 		AZ16	⊕ 2×4.5×65 H 100 H 150 H			
				A14	SDV1×65 SDV2×45 SDV2×65 SDV2×110 SDV3×65		
				B35	SDV1×75 SDV2×75 SDV2×100 SDV3×75 PZ1×50 PZ2×50 PZ3×50		
			6.35mm ● 		MB45 マグネット	対邊 8mm×75 対邊 8mm×100 対邊 10mm×75 対邊 10mm×100	
				6.35mm ● 		MB45S サイドマグネット	対邊 8mm×100 対邊 10mm×100
					6.35mm ● 		MB45D スライドマグネット