



高效率鑽孔機 / 刀具

Boring

台灣總代理

【ATRA ACE-手動型】

NO. ARA-100A

● 最大孔徑 : 100 mm / 最大板厚 : 75 mm。

● 可快速準確地進行大口徑的開孔作業。



產品影片



型號		ARA-100A			
電鑽	電壓 (單相)	AC220~240V, 50/60 Hz			
	額定消費電量 W	1800			
	額定電流 A	8.2			
	空載轉速 min ⁻¹ (rpm)	110~210 / 330~660			
	莫氏錐度號	MT3			
	額定時間	30			
開孔能力	磁力消費電力 W	80			
	刀具	孔徑	板厚		
	硬質合金環狀刀具 35L	17.5~40	13~35		
	一次式連接型 50L	17.5~50	13~50		
	75L	17.5~50	13~75		
	硬質合金環狀刀具 75L	50~100	13~75		
	高速鋼環狀刀具 25L	17.5~35	13~25		
一次式連接型	50L	18~35	13~50		
	麻花鑽	最大 32			
最長衝程長度 mm		296			
磁鐵最大磁力 N (kgf)		17000 (1733)			
磁鐵尺寸 mm		110 x 220			
調整鑽孔位置	前後移動 mm	20			
	左右移動 mm	30°			
電源線 m		5			
主體重量 kg		30			
標準配件					
· 定位銷 12075 : 1 支 · 側面把手 : 1 支 · 手柄 : 3 支 · 內六角扳手 2.5 / 5 / 6 / 8 mm : 各 1 支 · 扳手 7x8 mm : 1 支 · 油箱 / 油箱支架 : 各 1 個 · 鑽頭漂移 : 1 支 · 鏈條 : 1 條 · 防護板 : 1 個 · 側鎖定式支架 MT03075 : 1 個					

【碳化鎢超硬刀具】

NO. JETBROACH

● 與難切削材料 SM490 和 SN490 兼容。

● 刀具前端無死角。

● 圓狀切削。

● 切削阻力比麻花鑽頭少 50%。

● 產品種類 ø12~ø100 mm。




60(20/25L: ø14~ø17)
63(25L: ø17.5~ø35)
73(35L), 90(50L), 117(75L)

JETBROACH 碳化鎢超硬刀具	One-touch type	
	25, 35, 50L	50L(W) 用於疊板
鑽孔能力	孔徑 mm	25L 12~17 35L 17.5~40 50L 12~65
	板厚 mm	25L 25 35L 35 50L 50
	進刀速度 mm/rev	0.02~0.1
推薦切削速度 m/min		35~50 軟鋼

【高速鋼環狀刀具】

NO. HI-BROACH



60(ø12~ø19.5)
58(ø20~ø52)
86(50L:ø12~ø52)

HI-BROACH 高速刀具	One-touch type	
	25L	50L
鑽孔能力	孔徑 mm	25L 12~52 35L — 50L —
	板厚 mm	25L 25 35L — 50L 50
	進刀速度 mm/rev	0.02~0.1
推薦切削速度 m/min		15~35 軟鋼



碳化鎢超硬刀具

JETBROACH cutters

台灣總代理

JETBROACH 碳化鎢超硬刀具		
最大板厚	孔徑 Ø	大峯品號
		LO-3550
25 mm	12	●
	13	● ●
	14	● ●
	15	● ●
	16	● ●
	17	● ●
35 mm	17.5	497517500
	18	497518000
	18.5	
	19	497519000
	19.5	
	20	497520000
	20.5	
	21	497521000
	21.5	497521500
	22	497522000
	22.5	497522500
	23	497523000
	23.5	497523500
	24	497524000
	24.5	497524500
	25	497525000
	25.5	
	26	497526000
	26.5	
	27	497527000
	28	497528000
	29	497529000
	30	497530000
	31	497531000
	32	497532000
	33	497533000
	34	497534000
	35	497535000
	36	497536000
	37	497537000
	38	497538000
	39	497539000
	40	497540000

JETBROACH 碳化鎢超硬刀具 50L(W)		
最大板厚	孔徑 Ø	大峯品號
		LO-3550
50 mm	18	●
	22	● ●
	24	● ● ●
	24.5	● ● ●
	25	● ● ●
	26	● ● ●
	26.5	● ● ●
	28	● ● ●
	32	● ● ●
	35	● ● ●

JETBROACH 碳化鎢超硬刀具		
最大板厚	孔徑 Ø	大峯品號
		LO-3550
50 mm	12	●
	13	● ●
	14	● ●
	15	● ●
	16	● ●
	17	● ●
	17.5	497617500
	18	
	19	
	19.5	
	20	
	20.5	497620500
	21	497621000
	21.5	497621500
	22	497622000
	22.5	497622500
	23	497623000
	23.5	497623500
	24	497624000
	24.5	497624500
	25	497625000
	25.5	
	26	497626000
	26.5	
	27	497627000
	28	497628000
	29	497629000
	30	497630000
	31	497631000
	32	497632000
	33	497633000
	34	497634000
	35	497635000
	36	497636000
	37	497637000
	38	497638000
	39	
	40	497640000
	41	497641000
	42	497642000
	43	
	44	497644000
	45	497645000
	46	497646000
	47	497647000
	48	497648000
	49	
	50	497650000
	51	497651000
	52	497652000
	53	497653000
	54	497654000
	55	497655000
	56	497656000
	57	497657000
	58	497658000
	59	497659000
	60	497660000
	61	497661000
	62	497662000
	63	497663000
	64	497664000
	65	497665000









高速鋼環狀刀具

HI-BROACH cutters

台灣總代理

HI-BROACH 高速鋼環狀刀具			AO-5575A	WA-3500	WA-5000	QA-4000	QA-6500	ARA-100A	定位銷
最大板厚	孔徑 Ø	大峯品號							
25 mm	12	497412000	●						
	13	497413000	●						
	14	497414000	●	●	●	●			
	15	497415000	●	●	●	●			
	16	497416000	●	●	●	●			
	17	497417000	●	●	●	●			
	17.5		●	●	●	●			●
	18	497418000	●	●	●	●	●	●	
	19	497419000	●	●	●		●	●	
	19.5		●	●	●		●	●	
	20	497420000	●	●	●		●	●	
	21	497421000	●	●	●		●	●	
	21.5		●	●	●		●	●	
	22	497422000	●	●	●		●	●	
	22.5		●	●	●		●	●	
	23	497423000	●	●	●		●	●	
	23.5		●	●	●		●	●	
	24	497424000	●	●	●		●	●	
	24.5		●	●	●		●	●	
	25	497425000	●	●	●		●	●	
	26	497426000	●	●	●		●	●	
	27	497427000	●	●	●		●	●	
	28	497428000	●	●	●		●	●	
	29	497429000	●	●	●		●	●	
	30	497430000	●	●	●		●	●	
	31	497431000	●	●	●		●	●	
	32	497432000	●	●	●		●	●	
	33	497433000	●	●	●		●	●	
	34	497434000	●	●	●		●	●	
	35	497435000	●	●	●		●	●	
	36	497436000	●		●				
	37	497437000	●		●				
	38	497438000	●		●				
	39	497439000	●		●				
	40	497440000	●		●				
	41	497441000	●		●				
	42	497442000	●		●				
	43	497443000	●		●				
	44	497444000	●		●				
	45	497445000	●		●				
	46	497446000	●		●				
	47	497447000	●		●				
	48	497448000	●		●				
	49	497449000	●		●				
	50	497450000	●		●				

HI-BROACH 高速鋼環狀刀具			AO-5575A	WA-5000	ARA-100A	定位銷
最大板厚	孔徑 Ø	大峯品號				
50 mm	12	497312000	●			
	13	497313000	●			
	14	497314000	●	●		
	15	497315000	●	●		
	16	497316000	●	●		
	17	497317000	●	●		
	18	497318000	●	●	●	
	19	497319000	●	●	●	
	20	497320000	●	●	●	
	21	497321000	●	●	●	
	22	497322000	●	●	●	
	23	497323000	●	●	●	
	24	497324000	●	●	●	
	25	497325000	●	●	●	
	26	497326000	●	●	●	
	27	497327000	●	●	●	
	28	497328000	●	●	●	
	29	497329000	●	●	●	
	30	497330000	●	●	●	
	31	497331000	●	●	●	
	32	497332000	●	●	●	
	33	497333000	●	●	●	
	34	497334000	●	●	●	
	35	497335000	●	●	●	
	36	497336000	●	●	●	
	37	497337000	●	●	●	
	38	497338000	●	●	●	
	39	497339000	●	●	●	
	40	497340000	●	●	●	
	41	497341000	●	●	●	
	42	497342000	●	●	●	
	43	497343000	●	●	●	
	44	497344000	●	●	●	
	45	497345000	●	●	●	
	46	497346000	●	●	●	
	47	497347000	●	●	●	
	48	497348000	●	●	●	
	49	497349000	●	●	●	
	50	497350000	●	●	●	
	51	497351000		●	●	
	52	497352000			●	



單位 : mm